

Manitoba Ambient Air Quality Data - 2009 Annual Pollutant Summary – Continuous Monitoring

POLLUTANT Conc. Units	STATION NUMBER & LOCATION	ANNUAL MEAN	MAXIMUM DATA VALUES		# OF SAMPLES 1-HR 24-HR		# OF SAMPLES ABOVE M.D.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.A.L. 1-HR 24-HR		# OF SAMPLES ABOVE M.T.L. 1-HR 24-HR	
			1-HR	24-HR	1-HR	24-HR	1-HR	24-HR	1-HR	24-HR	1-HR	24-HR
CARBON MONOXIDE (CO) ppm	9118 WINNIPEG, SCOTIA & JEFFERSON	0.29	2.6	1.33 ^Δ	0	0 ^Δ	0	0 ^Δ	--	0 ^Δ	--	0 ^Δ
	9119 WINNIPEG, 65 ELLEN STREET	0.51	5.8	1.50 ^Δ	0	0 ^Δ	0	0 ^Δ	--	0 ^Δ	--	0 ^Δ
NITROGEN DIOXIDE (NO ₂) pphm	5131 BRANDON, ASSIN. COMM.COLLEGE	0.54	4.4	2.71°	--	--	0	0°	0	--	--	--
	9118 WINNIPEG, SCOTIA & JEFFERSON	0.73	4.6	3.07°	--	--	0	0°	0	--	--	--
	9119 WINNIPEG, 65 ELLEN STREET	1.17	8.8	4.18°	--	--	0	0°	0	--	--	--
NITRIC OXIDE (NO) pphm	5131 BRANDON, ASSIN. COMM.COLLEGE	0.34	9.8	2.51°	--	--	--	--	--	--	--	--
	9118 WINNIPEG, SCOTIA & JEFFERSON	0.34	27.2	10.83°	--	--	--	--	--	--	--	--
	9119 WINNIPEG, 65 ELLEN STREET	0.73	28.1	9.72°	--	--	--	--	--	--	--	--
NITROGEN OXIDES (NO _x) pphm	5131 BRANDON, ASSIN. COMM.COLLEGE	0.88	12.5	5.13°	--	--	--	--	--	--	--	--
	9118 WINNIPEG, SCOTIA & JEFFERSON	1.07	30.7	13.27°	--	--	--	--	--	--	--	--
	9119 WINNIPEG, 65 ELLEN STREET	1.88	35.3	13.18°	--	--	--	--	--	--	--	--
SULPHUR DIOXIDE (SO ₂) ppm ¹⁰	7251 FLIN FLON, 143 MAIN STREET	0.01	0.94	0.15°	84	188°	22	15°	--	0°	--	--
	7271 ⁺ FLIN FLON, AQUA CENTRE	0.00	0.64	0.09°	28	45°	10	0°	--	0°	--	--
	7281 ⁺ FLIN FLON, HBM&S STAFFHOUSE	0.01	0.71	0.09°	49	89°	14	0°	--	0°	--	--
	7291 ⁺ CREIGHTON, SASK. CITY HALL	0.00	0.93	0.07°	25	21°	7	0°	--	0°	--	--
	7301 ⁺ FLIN FLON, HAPNOT COLLEGiate	0.00	0.54	0.09°	9	21°	4	0°	--	0°	--	--
	7351 ⁺ THOMPSON, WATER TREAT. PLANT	0.00	0.25	0.05°	8	0°	0	0°	--	0°	--	--
	7361 ⁺ THOMPSON, EASTWOOD SCHOOL	0.00	0.46	0.04°	20	0°	3	0°	--	0°	--	--
	7371 ⁺ THOMPSON, RIVERSIDE SCHOOL	0.00	0.48	0.04°	7	0°	1	0°	--	0°	--	--
	7381 ⁺ THOMPSON, WESTWOOD	0.00	0.41	0.06°	13	0°	4	0°	--	0°	--	--
	9119° WINNIPEG, 65 ELLEN STREET	0.55°	14.60°	3.12°	0	0°	0	0°	--	0°	--	--
OXIDANTS OZONE (O ₃) pphm ¹¹	5131 BRANDON, ASSIN. COMM.COLLEGE	2.28	5.50	4.11°	0	~	0	~	0	--	--	--
	9118 WINNIPEG, SCOTIA & JEFFERSON	2.09	5.60	4.31°	1	~	0	~	0	--	--	--
	9119 WINNIPEG, 65 ELLEN STREET	1.92	5.60	4.15°	2	~	0	~	0	--	--	--
AMMONIA (NH ₃) ppm ¹²	5131 BRANDON, ASSIN. COMM.COLLEGE	0.01	2.50	0.47°	--	--	1	--	--	--	--	--

Notes: ^Δ Averaged over 8 hours

+ Company supplied data

° Using 24-hour moving average

◊ 9119, 65 Ellen Street data measured in parts per billion (ppb)

~ numerous exceedences of the 24 hour MDL and MAL which are currently under review

-- no guideline or objective

¹⁰ - SO₂ guidelines (ppm): MDL: 1hr-0.170, 24hr-0.060; MAL: 1hr-0.340, 24hr-0.110; MTL: 24hr-0.310

¹¹ - O₃ guidelines (pphm): MDL: 1hr-5.0, 24hr-1.50; MAL: 1hr-8.20, 24hr-2.50; MTL: 1hr-20.0

¹² - NH₃ guidelines (ppm): MAL: 1hr-2.0

Manitoba Ambient Air Quality Data - 2009 Annual Pollutant Summary – Particulate Matter Monitoring (PM₁₀)

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO MEAN	MAXIMUM DATA VALUES 24/1-HR	# OF ABOVE 1-HR	# OF SAMPLES ABOVE M.A.L. 1-HR	# OF SAMPLES ABOVE M.T.L. 1-HR	# OF SAMPLES ABOVE M.T.L. 24-HR
INHALABLE PARTICULATE (PM ₁₀)	7251 ⁵ FLIN FLON, 143 MAIN STREET	15.84/10.45	72.23/514.70	--	--	--	9
	7251 ³ FLIN FLON, 143 MAIN STREET	7.02/1.00	28.67/-	--	--	--	0
	7283 ⁴⁺ CREIGHTON SK, HIGH SCHOOL	28.20/23.25	167.50/-	--	--	--	27
	7284 ¹⁺ FLIN FLON, RUTH BETTS	11.73/9.10	33.12/-	--	--	--	0
	7381 ⁵ THOMPSON, WESTWOOD	8.57/6.20	28.09/201.40	--	--	--	0
	9119 ⁵ WINNIPEG, 65 ELLEN STREET	9.37/7.55	29.69/85.40	--	--	--	0
	9119 ² WINNIPEG, 65 ELLEN STREET	14.73/11.53	49.42/-	--	--	--	0
LEAD (Pb)	5131 ⁵ BRANDON, ASSIN.COMM.COLLEGE	21.53/11.83	250.63/2487.80	--	--	--	33
	7283 ^{4,9+} CREIGHTON SK, HIGH SCHOOL	0.17/0.17	1.00/-	--	--	--	0
SULPHATES (SO ₄ ²⁻)	7284 ¹⁺ FLIN FLON, RUTH BETTS	0.09/0.03	1.15/-	--	--	--	0
	7284 ¹⁺ FLIN FLON, RUTH BETTS	1.52/1.06	4.59/-	--	--	--	--
ARSENIC (As)	7283 ^{4,9+} CREIGHTON SK, HIGH SCHOOL	0.01/0.00	0.23/-	--	--	--	0
	7284 ¹⁺ FLIN FLON, RUTH BETTS	0.04/0.01	0.46/-	--	--	--	1
CADMIUM (Cd)	7283 ^{4,9+} CREIGHTON SK, HIGH SCHOOL	0.01/0.01	0.06/-	--	--	--	0
	7284 ¹⁺ FLIN FLON, RUTH BETTS	0.02/0.00	0.22/-	--	--	--	0
COPPER (Cu)	7283 ^{4,9+} CREIGHTON SK, HIGH SCHOOL	0.04/0.03	1.10/-	--	--	--	0
	7284 ¹⁺ FLIN FLON, RUTH BETTS	0.13/0.05	1.39/-	--	--	--	0
ZINC (Zn)	7283 ^{4,9+} CREIGHTON SK, HIGH SCHOOL	0.07/0.04	1.43/-	--	--	--	0
	7284 ¹⁺ FLIN FLON, RUTH BETTS	0.59/0.04	4.03/-	--	--	--	0

Notes:

All Concentration units for the above Table are in ug/m³.

-- No guideline or objective

- No data available

¹ - 24 Hour sample collected every three days, synchronized with the NAPS schedule (with numerous exceptions)

² - 24 Hour sample collected every six days according to NAPS schedule (Dichotomous)

³ - 24 Hour sample collected every three days according to NAPS schedule (Dichotomous)

⁴ - 24 Hour sample collected daily (Dichotomous)

⁵ - Real-time continuous monitoring (TEOM)

⁹ - Majority of data at or below detection limit

+ Company supplied data

Manitoba Ambient Air Quality Data - 2009 Annual Pollutant Summary – Particulate Matter Monitoring (PM_{2.5})

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO MEAN	MAXIMUM DATA VALUES	# OF SAMPLES		# OF SAMPLES		# OF SAMPLES	
				1-HR	24-HR	1-HR	24-HR	1-HR	24-HR
INHALABLE PARTICULATE (PM _{2.5})	9118 ⁵ WINNIPEG, SCOTIA & JEFFERSON	4.92/3.16	18.02/54.20	--	--	--	0 ⁷	--	--
	9119 ¹ WINNIPEG, 65 ELLEN STREET	5.66/4.52	16.26/-	--	--	--	0 ⁷	--	--
	9119 ⁵ WINNIPEG, 65 ELLEN STREET	4.30/2.73	14.64/52.60	--	--	--	0 ⁷	--	--
	5131 ⁵ BRANDON, ASSIN. COMM.COLLEGE	4.51/2.90	17.32/146.80	--	--	--	0 ⁷	--	--
	7251 ⁵ FLIN FLON, 143 MAIN STREET	4.58/2.42	29.26/129.60	--	--	--	0 ⁷	--	--
	7251 ¹ FLIN FLON, 143 MAIN STREET	5.33/1.00	28.50/-	--	--	--	0 ⁷	--	--
	7283 ⁴⁺ CREIGHTON SK, HIGH SCHOOL	14.27/11.43	60.65/-	--	--	--	19 ⁷	--	--
	7381 ⁵ THOMPSON, WESTWOOD	2.65/1.55	10.38/45.40	--	--	--	0 ⁷	--	--

Notes:

All Concentration units for the above Table are in ug/m³.

-- No guideline or objective

- No data available

¹ - 24 Hour sample collected every three days, synchronized with the NAPS schedule (Dichotomous)

⁴ - 24 Hour sample collected daily (Dichotomous)

⁵ - Real-time continuous monitoring (TEOM)

⁷ - Based on Canada Wide Standard "level" for PM_{2.5} (not the actual metric of the 98th percentile annual value averaged over 3 years)

+ Company supplied data

Manitoba Ambient Air Quality Data - 2009 Annual Pollutant Summary – Particulate Matter Monitoring (TSP)

POLLUTANT	STATION NUMBER & LOCATION	ANNUAL ARITH/GEO MEAN	MAXIMUM DATA VALUES 24-HR	# OF SAMPLES ABOVE M.D.L. 1-HR	# OF SAMPLES ABOVE M.D.L. 24-HR	# OF SAMPLES ABOVE M.A.L. 1-HR	# OF SAMPLES ABOVE M.A.L. 24-HR	# OF SAMPLES ABOVE M.T.L. 1-HR	# OF SAMPLES ABOVE M.T.L. 24-HR
TOTAL SUSPENDED PARTICULATE (TSP)	7251 ¹ FLIN FLON, 143 MAIN STREET	41.51/32.69	180.00	--	--	--	7	--	0
	7283 ³⁺ CREIGHTON SK, HIGH SCHOOL	31.32/22.76	244.06	--	--	--	3	--	0
	7284 ²⁺ FLIN FLON, RUTH BETTS	21.30/15.36	102.72	--	--	--	0	--	0
LEAD (Pb)	7251 ¹ FLIN FLON, 143 MAIN STREET	0.30/0.09	4.18	--	--	--	4	--	--
	7283 ³⁺ CREIGHTON SK, HIGH SCHOOL	0.02/0.02	0.28	--	--	--	0	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.05/0.02	0.75	--	--	--	0	--	--
SULPHATES (SO ₄ =)	7251 ¹ FLIN FLON, 143 MAIN STREET	1.93/1.28	15.33	--	--	--	--	--	--
	7283 ³⁺ CREIGHTON SK, HIGH SCHOOL	0.91/0.73	2.88	--	--	--	--	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	1.34/0.94	5.08	--	--	--	--	--	--
NITRATES (NO ₃ -)	7251 ¹ FLIN FLON, 143 MAIN STREET	0.06/0.04	0.37	--	--	--	--	--	--
ARSENIC (As) ¹³	7251 ¹ FLIN FLON, 143 MAIN STREET	0.08/0.03	1.04	--	--	--	8	--	--
	7283 ³⁺ CREIGHTON SK, HIGH SCHOOL	0.01/0.00	0.09	--	--	--	0	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.02/0.00	0.38	--	--	--	1	--	--
CADMIUM (Cd)	7251 ¹ FLIN FLON, 143 MAIN STREET	0.06/0.01	3.57	--	--	--	1	--	--
	7283 ³⁺ CREIGHTON SK, HIGH SCHOOL	0.00/0.00	0.05	--	--	--	0	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.01/0.00	0.07	--	--	--	0	--	--
COPPER (Cu)	7251 ¹ FLIN FLON, 143 MAIN STREET	1.16/0.63	13.12	--	--	--	0	--	--
	7283 ³⁺ CREIGHTON SK, HIGH SCHOOL	0.07/0.04	0.80	--	--	--	0	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.20/0.09	2.56	--	--	--	0	--	--
ZINC (Zn)	7251 ¹ FLIN FLON, 143 MAIN STREET	2.39/1.42	20.38	--	--	--	0	--	--
	7283 ³⁺ CREIGHTON SK, HIGH SCHOOL	0.44/0.04	5.54	--	--	--	0	--	--
	7284 ²⁺ FLIN FLON, RUTH BETTS	0.42/0.05	4.63	--	--	--	0	--	--

Notes:

All Concentration units for the above Table are in ug/m³.

-- No guideline or objective

+ Company supplied data

¹ - 24 Hour sample collected every two out of three days, synchronized with the NAPS schedule (with numerous exceptions)

² - 24 Hour sample collected every three days, synchronized with the NAPS schedule (with numerous exceptions)

³ - 24 Hour sample collected every second day

¹³ - As guidelines (ug/m³): MAL: 24hr-0.300