

1a - Pigs

Operation Name:

Operation Type	Storage Type	Volatilization	Animal Numbers (Places)	N Excreted Per Herd Adjusted for Storage N Loss (lb/yr/herd)	P2O5 Excreted Per Herd Per Year (lb/yr/herd)
Gilts (Purchased)	Liquid Uncovered Earthen	30%		0	0
Boars	Liquid Uncovered Earthen	30%		0	0
Weanlings/Nursery	Liquid Uncovered Earthen	30%		0	0
Growers/Finishers	Liquid Uncovered Earthen	30%		0	0
Sows, farrow to 6.2 kg	Liquid Uncovered Earthen	30%	3000	112640	81350
Sows, farrow to 28 kg	Liquid Uncovered Earthen	30%		0	0
Sows, farrow to finish	Liquid Uncovered Earthen	30%		0	0

Last Revised February 12, 2020

2 - Crop Rotation

Operation Name:

Enter the operation name on the livestock tab(s)

Crop	Removal		Uptake		Yield	Units	Acreage	Removal		Uptake
	P2O5	N	N	Units				P2O5 (lb)	N (lb)	N (lb)
Alfalfa	13.8	58	58	lb/ton		ton/ac		-	-	-
Barley Grain	0.42	0.97	1.39	lb/bu		bu/ac		-	-	-
Barley Silage	11.8	34.4	34.4	lb/ton		ton/ac		-	-	-
Canola	1.04	1.93	3.19	lb/bu	42.1	bu/ac	572	25044	46477	76819
Corn Grain	0.44	0.97	1.53	lb/bu	123.3	bu/ac	572	31032	68412	107907
Corn Silage	12.7	31.2	31.2	lb/ton		tons/ac		-	-	-
Dry Edible Beans	1.39	4.17		lb/cwt		cwt/ac		-	-	-
Fababeans	1.79	5.02	8.4	lb/cwt		cwt/ac		-	-	-
Flax	0.65	2.13	2.88	lb/bu		bu/ac		-	-	-
Grass Hay	10	34.2	34.2	lb/ton		tons/ac		-	-	-
Lentils	1.03	3.39	5.08	lb/cwt		cwt/ac		-	-	-
Oats	0.26	0.62	1.07	lb/bu		bu/ac		-	-	-
Pasture (grazed)	10	34.2	34.2	lb/ton	0.5	ton/ac		-	-	-
Peas	0.69	2.34	3.06	lb/bu		bu/ac		-	-	-
Potatoes	0.09	0.32	0.57	lb/cwt		cwt/ac		-	-	-
Rye	0.45	1.06	1.67	lb/bu		bu/ac		-	-	-
Soybeans	0.84	3.87	5.2	lb/bu	35	bu/ac	572	16817	77477	104104
Sunflower	1.1	2.8		lb/cwt		cwt/ac		-	-	-
Wheat - Spring	0.59	1.5	2.11	lb/bu	58.4	bu/ac	572	19709	50107	70484
Wheat - Winter	0.51	1.04	1.35	lb/bu		bu/ac		-	-	-
Total Acres							2288	92602	242473	359314
Estimated Average Removal/Uptake (lb/ac)								40.5	106.0	157.0
Acres in Hanover and La Broquerie										
Proportion in Hanover or La Broquerie							0%			
Additional Acres										
Crop Planned on Additional Acres										
Total Acreage							2288			
*Notes:	Enter the number of acres that are in the RM's of Hanover or La Broquerie in cell H26. Additional acres include acres for which crop removal or soil data is limited or unavailable.									

3 - Farm Excretion

Operation Name: Enter the operation name on the livestock tab(s)

Species	Animal Category/Operation type	N (lb/year)	P205 (lb/year)
Pigs	Boars	0	0
	Weanlings/Nursery	0	0
	Growers/Finishers	0	0
	Sows, farrow to 5 kg	112640	81350
	Sows, farrow to 23 kg	0	0
	Sows, farrow to finish	0	0
Beef	Mature Cows and Bred Heifers, plus associated livestock	0	0
	Feedlot Cattle - long keep	0	0
	Feedlot Cattle - short keep	0	0
	Backgrounders - pasture	0	0
	Backgrounders - confined	0	0
Dairy	Lactating cow	0	0
	Lactating First Calf Heifer	0	0
	Dry cow	0	0
	Calf, 0-3 months	0	0
	Calf, 4-13 months	0	0
	Replacements, >13 months	0	0
	Mature Cows, plus assoc livestock	0	0
Sheep	Ewes	0	0
	Replacement Ewes	0	0
	Rams	0	0
	Lambs	0	0
	Ewes, plus assoc livestock	0	0
	Feeder	0	0
Chickens	Light Broilers	0	0
	Broilers	0	0
	Broiler Breeder Pullets	0	0
	Broiler Breeder Hens	0	0
Layers	White Layer Pullets	0	0
	White Layer Hens	0	0
	White Breeder Pullets	0	0
	White Breeder Hens	0	0
	Brown Layer Pullets	0	0
	Brown Layer Hens	0	0
	Brown Breeder Pullets	0	0
	Brown Breeder Hens	0	0
Turkeys	Broiler Turkey (0-9 wks)	0	0
	Hen Turkey (0-11 wks)	0	0
	Heavy Hens (0-14 wks)	0	0
	Toms (0-14 wks)	0	0
	Breeding Hen Growers (0-30 wks)	0	0
	Breeding Hens (31-End of Lay)	0	0
	Breeding Tom Grower (0-17 wks)	0	0
	Breeding Tom Grower (17-30 wks)	0	0
	Breeding Tom (31-End of Lay)	0	0
Total		112640	81350

Note: Be sure all livestock species on your farm are represented in this table, not just the livestock in the proposed expansion.

4 - Land Base Summary

Operation Name: Enter the operation name on the livestock tab(s)

Nutrients Excreted		lbs
Nitrogen		112640
Phosphorus (P2O5)		81350
Crop Nutrient Use		lb/ac
Average Crop N Uptake		157.0
Average Crop Phosphorus (P2O5) Removal		40.5
Operation-specific Phosphorus (P2O5) Allowance		80.9
Land Available		2288
Land Base Required		acres
Acres for Nitrogen		717
Acres for Phosphorus (P2O5)		1005
Phosphorus Balance		acres
Acres for Phosphorus Balance (1X)		2010

Note: For lands located in Hanover and/or La Broquerie, the acres required for phosphorus are based on phosphorus balance (1X). For other lands, the acres required for phosphorus are based on twice crop phosphorus removal (2X). Land requirements for operations with lands inside and outside Hanover and/or La Broquerie are based on a weighted average.

Last revised November 26, 2019

CROP ROTATION TABLE

A	B	C	D	E
Expected Crops in the Rotation	Acreage	Historical Yield	Units	Source of Yield Information
Argentine Canola	572	42.1	bushels/acre	MASC Variety Data Yield (by RM)
Red Spring Wheat	572	58.4	bushels/acre	MASC Variety Data Yield (by RM)
Soybeans	572	35.0	bushels/acre	MASC Variety Data Yield (by RM)
Grain Corn	572	123.3	bushels/acre	MASC Variety Data Yield (by RM)
Total Net Acreage for Manure Application	2288			

- A. List all of the crop(s) to be grown in the rotation on the acreage that will receive manure.
- B. Indicate the average acreage for each crop over the rotation. For example, if there are 720 suitable acres available for manure and approximately 40 these acres will be used to grow canola, enter 288. The total of column B should add up to Total Net Acreage for Manure Application provided in the Manure Application Field Characteristic Table.
- C. Enter the historical yield average for each crop. Long-term yield averages can be determined using MASC data (<http://www.masc.mb.ca/masc.nsf/index.html?OpenPage>) or on-farm yield records. If on-farm yield records are used, please provide copies.
- D. Enter the units for the yields provided (e.g. bu/acre, tons/acre).
- E. Enter the source of the historical yield average provided.