

**BILL OF MISCELLANEOUS MATERIAL FOR CONDUITS
FIXED JOINTS AND EXPANSION JOINTS**



Site No. _____

No.	DESCRIPTION	REMARKS
	Conduit	Royal Rigid PVC Conduit, 100 # x 3 050 long, field cut to fit (see details)
	Conduit	Royal Rigid PVC Conduit, 63 # x 3 050 long, field cut to fit (see details)
	Reducer bushing	100 # - 75 #, Royal Part No. R1B13
	Reducer bushing	63 # - 50 #, Royal Part No. R1B11
	Coupling	For 100 # Rigid PVC conduit, Royal Part No. REC-55
	Coupling	For 63 # Rigid PVC conduit, Royal Part No. REC-40


NOTE: All material in the above Bill to be supplied by the Bridge Contractor.

NOTES:

- All PVC conduits to be supplied by the Contractor.
- All PVC conduit shall be securely fastened at 1500 mm intervals.



REVISIONS		
DATE	BY	DESCRIPTION



Infrastructure and Transportation
Water Control and Structures

RELEASED FOR CONSTRUCTION
BY: _____
DATE: _____

DESIGN	BY: _____	SCALE: _____
	CHECKED: _____	
DETAILS	BY: _____	SHEET No. _____
	CHECKED: _____	SITE No. _____