

From: [Yazon, Edwin \(CC\)](#)
To: [Yazon, Edwin \(CC\)](#)
Subject: FW: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility
Date: May 21, 2020 10:44:30 AM
Attachments: [image004.png](#)
[image001.png](#)

From: Kowalchuk, Sheldon (ARD) <Sheldon.Kowalchuk@gov.mb.ca>
Sent: April 21, 2020 11:47 AM
To: Bergman, Andrea (CC) <Andrea.Bergman@gov.mb.ca>
Subject: RE: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility

Hi Andrea,

I set this around to the Central Region IRMT and there were no concerns with the proposal.

Sheldon Kowalchuk
Regional Land Manager
Agriculture and Resource Development
Government of Manitoba
75 - 7th Avenue, Gimli, MB
204-641-1176
Sheldon.Kowalchuk@gov.mb.ca
www.manitoba.ca



From: Bergman, Andrea (SD) <Andrea.Bergman@gov.mb.ca>
Sent: March-13-20 8:36 AM
To: Kiss, Brian (SD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (SD) <Laureen.Janusz@gov.mb.ca>; Epp, Jane (GET) <Jane.Epp@gov.mb.ca>; Conrod, Matt (SD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (SD) <Winifred.Frias@gov.mb.ca>; Kowalchuk, Sheldon (SD) <Sheldon.Kowalchuk@gov.mb.ca>; Page, Elaine (SD) <Elaine.Page@gov.mb.ca>; Phipps, Graham (SD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (GET) <mines_br@gov.mb.ca>; Mraz, Peter (GET) <Peter.Mraz@gov.mb.ca>; Kohler, Shannon (SD) <Shannon.Kohler@gov.mb.ca>; Hawryliuk, Yvonne (SD) <Yvonne.Hawryliuk@gov.mb.ca>; Suresh, Nada (SD) <Nada.Suresh@gov.mb.ca>; Molod, Rommel (SD) <Rommel.Molod@gov.mb.ca>; Andrew, Kathy (SD) <Kathy.Andrew@gov.mb.ca>; Vitt, Cory (SD) <Cory.Vitt@gov.mb.ca>; Stonehouse, Perry (SD) <Perry.Stonehouse@gov.mb.ca>; Cunningham, Neil (SD) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (SD) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +BEA208 -

Beausejour CRP (MR) <BeausejourCRP@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; 'Tiege, Susan [CEAA]' <Susan.Tiege@ceaa-acee.gc.ca>
Cc: Rathamano, Raj (SD) <Raj.Rathamano@gov.mb.ca>; Graham, Cory (SD) <Cory.Graham@gov.mb.ca>

Subject: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

<https://www.gov.mb.ca/sd/eal/registries/6046tervita/index.html>

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **April 14, 2020.**

****No hard copies will be provided****

Thank you.

Andrea Bergman

Licensing and Livestock Officer | Environmental Approvals Branch |
Government of Manitoba - Conservation & Climate | 1007 Century Street | Winnipeg, Manitoba | R3H 0W4 |
☎: 204.945.4384 | 📞: 204.945.5229 | ✉: andrea.bergman@gov.mb.ca | 🌐: www.gov.mb.ca/sd |

MB150



Please consider the environment before printing this email

From: [Kiss, Brian \(ARD\)](#)
To: [Bergman, Andrea \(CC\)](#)
Subject: RE: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility
Date: March 19, 2020 10:02:29 AM
Attachments: [image001.png](#)

No wildlife related concerns.

-Brian Kiss

From: Bergman, Andrea (SD) <Andrea.Bergman@gov.mb.ca>
Sent: March 13, 2020 8:36 AM
To: Kiss, Brian (SD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (SD) <Laureen.Janusz@gov.mb.ca>; Epp, Jane (GET) <Jane.Epp@gov.mb.ca>; Conrod, Matt (SD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (SD) <Winifred.Frias@gov.mb.ca>; Kowalchuk, Sheldon (SD) <Sheldon.Kowalchuk@gov.mb.ca>; Page, Elaine (SD) <Elaine.Page@gov.mb.ca>; Phipps, Graham (SD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (GET) <mines_br@gov.mb.ca>; Mraz, Peter (GET) <Peter.Mraz@gov.mb.ca>; Kohler, Shannon (SD) <Shannon.Kohler@gov.mb.ca>; Hawryliuk, Yvonne (SD) <Yvonne.Hawryliuk@gov.mb.ca>; Suresh, Nada (SD) <Nada.Suresh@gov.mb.ca>; Molod, Rommel (SD) <Rommel.Molod@gov.mb.ca>; Andrew, Kathy (SD) <Kathy.Andrew@gov.mb.ca>; Vitt, Cory (SD) <Cory.Vitt@gov.mb.ca>; Stonehouse, Perry (SD) <Perry.Stonehouse@gov.mb.ca>; Cunningham, Neil (SD) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (SD) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +BEA208 - Beausejour CRP (MR) <BeausejourCRP@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; 'Tiege, Susan [CEAA]' <Susan.Tiege@ceaa-acee.gc.ca>
Cc: Rathamano, Raj (SD) <Raj.Rathamano@gov.mb.ca>; Graham, Cory (SD) <Cory.Graham@gov.mb.ca>
Subject: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

<https://www.gov.mb.ca/sd/eal/registries/6046tervita/index.html>

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **April 14, 2020**.

****No hard copies will be provided****

Thank you.

Andrea Bergman

Licensing and Livestock Officer | Environmental Approvals Branch |

Government of Manitoba - Conservation & Climate | 1007 Century Street | Winnipeg, Manitoba | R3H 0W4 |

☎: **204.945.4384** | 📞: 204.945.5229 | ✉: andrea.bergman@gov.mb.ca | 🌐: www.gov.mb.ca/sd |

MB150



Please consider the environment before printing this email

From: [Kelly, Jason \(CC\)](#)
To: [Bergman, Andrea \(CC\)](#)
Subject: RE: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility
Date: March 16, 2020 10:28:30 AM
Attachments: [image001.png](#)

Manitoba Parks has reviewed the Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility and has no comments or concerns to offer.

From: Bergman, Andrea (SD) <Andrea.Bergman@gov.mb.ca>

Sent: March 13, 2020 8:36 AM

To: Kiss, Brian (SD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (SD) <Laureen.Janusz@gov.mb.ca>; Epp, Jane (GET) <Jane.Epp@gov.mb.ca>; Conrod, Matt (SD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (SD) <Winifred.Frias@gov.mb.ca>; Kowalchuk, Sheldon (SD) <Sheldon.Kowalchuk@gov.mb.ca>; Page, Elaine (SD) <Elaine.Page@gov.mb.ca>; Phipps, Graham (SD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (GET) <mines_br@gov.mb.ca>; Mraz, Peter (GET) <Peter.Mraz@gov.mb.ca>; Kohler, Shannon (SD) <Shannon.Kohler@gov.mb.ca>; Hawryliuk, Yvonne (SD) <Yvonne.Hawryliuk@gov.mb.ca>; Suresh, Nada (SD) <Nada.Suresh@gov.mb.ca>; Molod, Rommel (SD) <Rommel.Molod@gov.mb.ca>; Andrew, Kathy (SD) <Kathy.Andrew@gov.mb.ca>; Vitt, Cory (SD) <Cory.Vitt@gov.mb.ca>; Stonehouse, Perry (SD) <Perry.Stonehouse@gov.mb.ca>; Cunningham, Neil (SD) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (SD) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +BEA208 - Beausejour CRP (MR) <BeausejourCRP@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; 'Tiege, Susan [CEAA]' <Susan.Tiege@ceaa-acee.gc.ca>

Cc: Rathamano, Raj (SD) <Raj.Rathamano@gov.mb.ca>; Graham, Cory (SD) <Cory.Graham@gov.mb.ca>

Subject: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

<https://www.gov.mb.ca/sd/eal/registries/6046tervita/index.html>

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **April 14, 2020**.

****No hard copies will be provided****

Thank you.

Andrea Bergman

Licensing and Livestock Officer | Environmental Approvals Branch |

Government of Manitoba - Conservation & Climate | 1007 Century Street | Winnipeg, Manitoba | R3H 0W4 |

☎: **204.945.4384** | 📞: 204.945.5229 | ✉: andrea.bergman@gov.mb.ca | 🌐: www.gov.mb.ca/sd |

MB150



Please consider the environment before printing this email

From: [Vitt, Cory \(CC\)](#)
To: [Bergman, Andrea \(CC\)](#)
Subject: RE: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility
Date: March 13, 2020 10:28:39 AM
Attachments: [image001.png](#)

No concerns.

Office of Drinking Water (ODW)

Cory Vitt, CMMA M.Eng. P.Eng.

(My name is Cory. Please refrain from any prefixes like "Mr. Vitt")

Approvals Engineer

Office of Drinking Water

Department of Conservation and Climate

1007 Century Street

Winnipeg, Manitoba R3H 0W4

Phone: 204-806-1363

Fax: 204-945-1365

Email: Cory.Vitt@gov.mb.ca

From: Bergman, Andrea (SD) <Andrea.Bergman@gov.mb.ca>

Sent: March 13, 2020 8:36 AM

To: Kiss, Brian (SD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (SD) <Laureen.Janusz@gov.mb.ca>; Epp, Jane (GET) <Jane.Epp@gov.mb.ca>; Conrod, Matt (SD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (SD) <Winifred.Frias@gov.mb.ca>; Kowalchuk, Sheldon (SD) <Sheldon.Kowalchuk@gov.mb.ca>; Page, Elaine (SD) <Elaine.Page@gov.mb.ca>; Phipps, Graham (SD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (GET) <mines_br@gov.mb.ca>; Mraz, Peter (GET) <Peter.Mraz@gov.mb.ca>; Kohler, Shannon (SD) <Shannon.Kohler@gov.mb.ca>; Hawryliuk, Yvonne (SD) <Yvonne.Hawryliuk@gov.mb.ca>; Suresh, Nada (SD) <Nada.Suresh@gov.mb.ca>; Molod, Rommel (SD) <Rommel.Molod@gov.mb.ca>; Andrew, Kathy (SD) <Kathy.Andrew@gov.mb.ca>; Vitt, Cory (SD) <Cory.Vitt@gov.mb.ca>; Stonehouse, Perry (SD) <Perry.Stonehouse@gov.mb.ca>; Cunningham, Neil (SD) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (SD) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +BEA208 - Beausejour CRP (MR) <BeausejourCRP@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI) <MITEnviServices@gov.mb.ca>; 'Tiege, Susan [CEAA]' <Susan.Tiege@ceaa-acee.gc.ca>
Cc: Rathamano, Raj (SD) <Raj.Rathamano@gov.mb.ca>; Graham, Cory (SD) <Cory.Graham@gov.mb.ca>

Subject: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility

Your review and comments would be appreciated for the Application submitted pursuant to The DGHT Act found at the below link:

<https://www.gov.mb.ca/sd/eal/registries/6046tervita/index.html>

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **April 14, 2020.**

****No hard copies will be provided****

Thank you.

Andrea Bergman

Licensing and Livestock Officer | Environmental Approvals Branch |

Government of Manitoba - Conservation & Climate | 1007 Century Street | Winnipeg, Manitoba | R3H 0W4 |

☎: **204.945.4384** | 📞: 204.945.5229 | ✉: andrea.bergman@gov.mb.ca | 🌐: www.gov.mb.ca/sd |

MB150



Please consider the environment before printing this email

From: [+WPG574 - HRB Archaeology \(SCH\)](#)
To: [Bergman, Andrea \(CC\)](#)
Subject: RE: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda Hazardous Waste Facility
Date: March 23, 2020 11:51:42 AM
Attachments: [image001.png](#)

Dear Andrea,

The Historic Resources Branch has no concerns at this time as this development will occur in a pre-existing commercial facility.

If at any time, however, heritage resources are encountered in association with these lands during testing and development, the Historic Resources Branch may require that an acceptable heritage resource management strategy be implemented by the developer to mitigate the effects of development on the heritage resources.

If you have any questions or comments, please feel free to contact the Branch as below.

Sincerely,
Suyoko

Suyoko Anne Tsukamoto

Senior Impact Assessment Archaeologist | Archaeological Assessment Services Unit

Historic Resources Branch | Manitoba Sport, Culture and Heritage
213 Notre Dame Avenue, Main Floor | Winnipeg, MB | R3B 1N3
T. 204.945.3893 | F.204.945.2384 | E. suyoko.tsukamoto@gov.mb.ca

From: Bergman, Andrea (SD) <Andrea.Bergman@gov.mb.ca>

Sent: March 13, 2020 8:36 AM

To: Kiss, Brian (SD) <Brian.Kiss@gov.mb.ca>; Janusz, Laureen R (SD) <Laureen.Janusz@gov.mb.ca>; Epp, Jane (GET) <Jane.Epp@gov.mb.ca>; Conrod, Matt (SD) <Matt.Conrod@gov.mb.ca>; Frias, Winifred (SD) <Winifred.Frias@gov.mb.ca>; Kowalchuk, Sheldon (SD) <Sheldon.Kowalchuk@gov.mb.ca>; Page, Elaine (SD) <Elaine.Page@gov.mb.ca>; Phipps, Graham (SD) <Graham.Phipps@gov.mb.ca>; +WPG1195 - Mines BR (GET) <mines_br@gov.mb.ca>; Mraz, Peter (GET) <Peter.Mraz@gov.mb.ca>; Kohler, Shannon (SD) <Shannon.Kohler@gov.mb.ca>; Hawryliuk, Yvonne (SD) <Yvonne.Hawryliuk@gov.mb.ca>; Suresh, Nada (SD) <Nada.Suresh@gov.mb.ca>; Molod, Rommel (SD) <Rommel.Molod@gov.mb.ca>; Andrew, Kathy (SD) <Kathy.Andrew@gov.mb.ca>; Vitt, Cory (SD) <Cory.Vitt@gov.mb.ca>; Stonehouse, Perry (SD) <Perry.Stonehouse@gov.mb.ca>; Cunningham, Neil (SD) <Neil.Cunningham@gov.mb.ca>; Kelly, Jason (SD) <Jason.Kelly@gov.mb.ca>; +WPG574 - HRB Archaeology (SCH) <HRB.archaeology@gov.mb.ca>; +WPG112 - FireComm (OFC) <FireComm@gov.mb.ca>; +BEA208 - Beausejour CRP (MR) <BeausejourCRP@gov.mb.ca>; Roberecki, Susan (HSAL) <Susan.Roberecki@gov.mb.ca>; +WPG969 - MIT Environmental Services Section (MI)

<MITEnviServices@gov.mb.ca>; 'Tiege, Susan [CEAA]' <Susan.Tiege@ceaa-acee.gc.ca>

Cc: Rathamano, Raj (SD) <Raj.Rathamano@gov.mb.ca>; Graham, Cory (SD)

<Cory.Graham@gov.mb.ca>

Subject: Request for Review/comment – DGHTAL 6046.00 – Tervita Corporation - Redonda
Hazardous Waste Facility

Your review and comments would be appreciated for the Application submitted pursuant to
The DGHT Act found at the below link:

<https://www.gov.mb.ca/sd/eal/registries/6046tervita/index.html>

I am the contact person assigned to co-ordinate the review and assessment of the Application.

Please reply to me if you are unable to review the Application. A non-reply will be considered
as indicating your department has reviewed and has no concerns.

Any comments you have on the Application should be emailed by **April 14, 2020.**

****No hard copies will be provided****

Thank you.

Andrea Bergman

Licensing and Livestock Officer | Environmental Approvals Branch |

Government of Manitoba - Conservation & Climate | 1007 Century Street | Winnipeg, Manitoba | R3H 0W4 |

☎: **204.945.4384** | 📞: 204.945.5229 | ✉: andrea.bergman@gov.mb.ca | 🌐: www.gov.mb.ca/sd |

MB150



Please consider the environment before printing this email

Tervita Corporation: Dangerous Goods Handling and Transportation Act Application Hazardous Waste and Hazardous Recyclable Processing and Storage Facility

Comments

Conditional use order

- Conditional use order No. 19-18 issued is to establish a “Hazardous waste **transport** facility”. The proposal is for establishing a “Hazardous Waste and Hazardous Recyclable Processing and Storage Facility” – I am not sure how this is going to be interpreted, but this can create issues in future.

Exterior storage (assuming the exterior apron is fully paved with impermeable material)

- Sea-cans - Set back distance from the boundary fence is required
- Containment within the sea-can storage or spill containment structures used?
- What are non-hazardous wastes: Provide a list with estimated quantity stored
- Heavy equipment: what are they and why are they used? [may not be a part of the licence but the emission (air/noise/liquid) from the operations may become an issue]
- Truck parking area needs to be marked. (no truck storage of HW allowed)
- Why containment curbs are not required for exterior storage area?
- Details of surface water drainage plan – collection, testing and discharge protocol needs to be provided.

Interior storage

- Interior floor plan with areas marked for HW storage, drum washing, shredding, crushing, sump pit, liquid collection tank, loading/unloading bay, etc. is required.
- Process details for crushing /shredding of filters/absorbents are required.
- Estimated number of drums washed and estimated quantity of filters/absorbents crushed or shredded.
- Does the filters/absorbents crushing/ shredding process generate air emission?
- For what purpose the mechanical shop is used (whether to cater to outside customers)
- Containerized processing involves consolidation and repacking of hazardous waste. Materials could include highly flammable and volatile types. Materials may also generate dust (asbestos impacted materials). Identify possible emission sources with methods of abatement.

General

- Copies of Standard Operating Procedures (SOPs) identified in the proposal need to be provided.
- Non conforming waste receipt: this needs to follow the Hazardous waste regulatory requirements - Section 20, Duty of consignee on discrepancy or refusal to accept waste and Section 24(1) Duties when consignee does not accept hazardous waste.
- A copy of the baseline environmental site assessment report (already available) needs to be submitted
- Generator registration form do not reflect all types of waste generated/stored in the proposed development. The form needs to be revised and re-submitted.
- An emergency response plan and the details of fire safety equipment needs to be provided

April 16-2020